

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: U.S. Patent No. 6,865,529

USPTO CONFIRMATION CODE: 6620

APPLICATION NO.: 09/827,280

FILED: April 05, 2001

EXAMINER: Richemond Dorvil

GROUP ART UNIT: 2654

FOR: METHOD OF ESTIMATING THE PITCH OF A SPEECH SIGNAL USING AN
AVERAGE DISTANCE BETWEEN PEAKS, USE OF THE METHOD, AND A
DEVICE ADAPTED THEREFOR

37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION
FOR USPTO MISTAKE

HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

SIR:

The following is a request for a certificate of correction in Serial Number
09/827,280, now Patent Number 6,865,529.

A certificate of correction under 35 USC 254 is respectfully requested in the
above-identified patent.

The errors were the fault of both the applicant and USPTO and, accordingly,
please charge \$100.00 to our Deposit Account No. 50-1379. In the event that a further fee
is required, please charge the amount to the same Deposit Account.

The exact locations where the errors appear in the patent and patent application
are as follows:

On the Face Page, Field (54), in "Title", in Column 1, Line 1, insert - - A - - before "METHOD".
(OATH OR DECLARATION, DATED APRIL 05, 2001)

On the Face Page, Field (57), under "ABSTRACT", in Column 2, Line 1, after "signal" insert - - (2) - -.
(PRELIMINARY AMENDMENT, DATED JULY 03, 2001, PAGE 20, UNDER "ABSTRACT", LINE 1)

In Column 1, Line 1, in "Title", insert - - A - - before "METHOD".
(OATH OR DECLARATION, DATED APRIL 05, 2001)

In Column 1, Line 13, insert - - Field of the Invention- - before "The Invention" as heading.
(PRELIMINARY AMENDMENT DATED APRIL 05, 2001, PAGE 1, UNDER "PRELIMINARY AMENDMENT", LINE 4)

In Column 2, Line 8, after "the" delete "S".
(ORIGINALLY FILED SPECIFICATION DATED APRIL 05, 2001, PAGE 3, LINE 4)

In Column 8, Line 37, in Claim 12, insert - - of - - before "the".
(AMENDMENTS TO THE CLAIM, DATED JULY 26, 2004, PAGE 3, IN CLAIM 12, LINE 2)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

Aug. 30, 2007

DATE

/SIDNEY L. WEATHERFORD,
Rea #45602/

Sidney L. Weatherford
Registration No. 45602

Attorney of Record

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,865,529 B2

APPLICATION NO. : 09/827,280

ISSUE DATE : March 8, 2005

INVENTOR(S) : Cecilia Brandel, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Face Page, Field (54), in "Title", in Column 1, Line 1, insert - - A - - before "METHOD".

On the Face Page, Field (57), under "ABSTRACT", in Column 2, Line 1, after "signal" insert - - (2) - -.

In Column 1, Line 1, in "Title", insert - - A - - before "METHOD".

In Column 1, Line 13, insert - - Field of the Invention- - before "The Invention" as heading.

In Column 2, Line 8, after "the" delete "S".

In Column 8, Line 37, in Claim 12, insert - - of - - before "the".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

6300 Legacy, MS EVR 1-C-11
Plano, TX 75024
972-583-8656

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patent, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.